

-1- (WPAT)

ACCESSION NUMBER

97-503485/47

XRPX

N97-419697

TITLE

Water based heat bank and fusion salt calorifier - has heat energy circulated around heat storage vessel by convective currents and insulated baffle which directs and influences convective current flow

DERWENT CLASSES

Q74

PATENT ASSIGNEE

(MCCO/) MCCONNELL D E, (TRAN/) TRANTER S R

INVENTORS

MCCONNELL DE, TRANTER SR

PRIORITY

96 03 26 96AU-048290

NUMBERS

1 patent(s) 1 country(s)

PUBLICATION DETAILS

AU9648290 A 97.10.02 \* (9747) 18p  
F24H-007/02

APPLICATION DETAILS

96AU-048290 96.03.26

MAIN INT'L CLASS.

F24H-007/02

ABSTRACT

AU9648290 A

The water based heat bank and fusion salt calorifier comprises a heat bank container which contains a volume of water based fluid containing varying amounts of heat energy derived from a source. The heat energy can be circulated around the heat storage vessel by convective currents and an insulated baffle which directs and influences the convective current flow which forces the heated water to thermal layer at the highest possible point within the heat bank container.

The fusion salt calorifier is immersed within the water based fluid at the highest possible point for the purpose of heat exchanging from the heated water based fluid to a clean water supply held within the confines of the fusion salt calorifier.

ADVANTAGE - Less expensive and more thermally efficient. (Dwg.1/1)

IMAGE FILENAME

WPHASHPI.GIF

I- (WPAT)	
ACCESSION NUMBER	90-050185/07
XRPX	N90-038470
TITLE	Periodic action heat drive - has thermal insulation baffle with segment cavities separating heating and cooling zones. cavities are symmetrical w.r.t. horizontal axle
DERWENT CLASSES	Q55
PATENT ASSIGNEE	(KIPO ) KIEV POLY
INVENTORS	ANTOSHKO YUV, BEZRODNYI MK, TSYNKOV VE
PRIORITY	87.04.10 87SU-4226951
NUMBERS	1 patent(s) 1 country(s)
PUBLICATION DETAILS	SUI476174 A 89.04.30 * (9007) 2p
APPLICATION DETAILS	87SU-4226951 87.04.10
SECONDARY INT'L. CLASS.	F03G-007/06
ABSTRACT	SUI476174 A The thermal insulation baffle (4) with segment cavities (5) placed symmetrically w.r.t. the horizontal axle, envelopes part of the vapour duct (1) which is partially filled with low boiling point liq. (2). The baffle separates the heating and cooling zones. The packing linings (6) are placed at the vapour duct ends and on the duct boundary which is constantly in the cooling zone. The duct is made as an open toroid whose symmetry axis coincides with the axle (3). The duct ends thermodynamically interact with the zones. Part of the duct which is constantly in the cooling zone and the duct ends are thermally insulated. USE - For heat energy conversation to mechanical energy. Bul.16/30.4.89 (2pp Dwg No.1/1)
IMAGE FILENAME	WPA12Q11.GIF

SS 2?

**WEST**[Help](#)[Logout](#)[Main Menu](#) [Search Form](#) [Result Set](#) [Show S Numbers](#) [Edit S Numbers](#)[First Hit](#)[Previous Document](#)[Next Document](#)[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Claims](#) [KMIC](#)

## Document Number 25

Entry 25 of 69

File: DWPI

Jul 15, 1987

DERWENT-ACC-NO: 1988-055348

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Tank for heat treatment of short cylindrical items - has thermal insulation baffle dividing tank into hardening and tempering compartments

## ABTX:

The tank has a thermal insulation baffle (4) forming hardening and tempering compartments.

## TTX:

TANK HEAT TREAT SHORT CYLINDER ITEM THERMAL INSULATE  
BAFFLE DIVIDE TANK HARDEN TEMPER COMPARTMENT

[Main Menu](#) [Search Form](#) [Result Set](#) [Show S Numbers](#) [Edit S Numbers](#)[First Hit](#)[Previous Document](#)[Next Document](#)[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Claims](#) [KMIC](#)[Help](#)[Logout](#)

573 9149A

Su 1476174 A

**WEST**[Help](#)[Logout](#)[Main Menu](#) [Search Form](#) [Result Set](#) [Show S Numbers](#) [Edit S Numbers](#)[First Hit](#)[Previous Document](#)[Next Document](#)[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Claims](#) [RMC](#)

Document Number 5

Entry 5 of 5

File: DWPI

Oct 2, 1997

DERWENT-ACC-NO: 1997-503485

DERWENT-WEEK: 199747

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Water based heat bank and fusion salt calorifier - has heat energy circulated around heat storage vessel by convective currents and insulated baffle which directs and influences convective current flow

INVENTOR: MCCONNELL, D E; TRANTER, S R

PATENT-ASSIGNEE: ; MCCONNELL D E[; MCCOI], TRANTER S R E[TRANI]

PRIORITY-DATA:

1996AU-0048290

March 26, 1996

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
AU 9648290 A	October 2, 1997	N/A	018	F24H007/02

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO	APPL-NO
AU 9648290A	March 26, 1996	1996AU-0048290	N/A

INT-CL (IPC): F24 H 7/02

ABSTRACTED-PUB-NO: AU 9648290A

BASIC-ABSTRACT:

The water based heat bank and fusion salt calorifier comprises a heat bank container which contains a volume of water based fluid containing varying amounts of heat energy derived from a source. The heat energy can be circulated around the heat storage vessel by convective currents and an insulated baffle which directs and influences the convective current flow which forces the heated water to thermal layer at the highest possible point within the heat bank container.

The fusion salt calorifier is immersed within the water based fluid at the highest possible point for the purpose of heat exchanging from the heated water based fluid to a clean water supply held within the confines of the fusion salt calorifier.

ADVANTAGE - Less expensive and more thermally efficient.

CHOSEN-DRAWING: Dwg.1/1

TITLE-TERMS:

WATER BASED HEAT BANK FUSE SALT CALORIFIER HEAT ENERGY CIRCULATE HEAT  
STORAGE VESSEL CONVECTION CURRENT INSULATE BAFFLE DIRECT INFLUENCE  
CONVECTION CURRENT FLOW

DERWENT-CLASS: Q74

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1997-419697

---

Your wildcard search has matched too many words

[Search for additional matches](#)

<a href="#">Main Menu</a>	<a href="#">Search Form</a>	<a href="#">Result Set</a>	<a href="#">Show S Numbers</a>	<a href="#">Edit S Numbers</a>					
<a href="#">First Hit</a>		<a href="#">Previous Document</a>		<a href="#">Next Document</a>					
<a href="#">Full</a>	<a href="#">Title</a>	<a href="#">Citation</a>	<a href="#">Front</a>	<a href="#">Review</a>	<a href="#">Classification</a>	<a href="#">Date</a>	<a href="#">Reference</a>	<a href="#">Claims</a>	<a href="#">KWIC</a>

[Help](#)

[Logout](#)

**WEST**[Help](#)[Logout](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Generate Collection](#)

Search Results - Record(s) 1 through 10 of 17 returned.

5558783  
5533538  
5456204  
5437798  
5401322  
5384051  
5171613  
5000099  
4898107  
4792408

[Generate Collection](#)

Terms	Documents
%28supercritical%20and%20convecti%24%20and%20baffle%24%29	17

[Display 10 Documents](#)

including document number

[11](#)**Display Format:**[PN](#)[Change Format](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Help](#)[Logout](#)

**WEST**[Help](#)[Logout](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Generate Collection](#)

Search Results - Record(s) 11 through 17 of 17 returned.

4632064  
4594164  
4571935  
4550562  
4507914  
4331105  
3768554

[Generate Collection](#)

Terms	Documents
(supercritical and convecti\$ and baffle\$)	17

[Display 10 Documents](#)

including document number

[17](#)**Display Format:**[PN](#)[Change Format](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Help](#)[Logout](#)